



TropiMax

Plant Growth Booster

Promotes Fruit Enlargement



TropiMax : Description



TropiMax is a highly effective plant growth booster designed to enhance the growth, flowering, fruit set, and development of durian trees and other horticultural crops. TropiMax plays a crucial role in regulating various physiological functions in plants, such as germination, growth, flowering, and fruiting. TropiMax works by dividing and extending plant cells, which can regulate plant growth. Application of TropiMax on durian trees can enhance fruit growth, promotes stem elongation, and reduce the shedding of flowers. In addition, TropiMax helps to improve the quality of fruits in terms of fruit colour, size, maturation and yields. TropiMax is optimized for foliar application and can be used at critical growth stages to achieve optimal results. TropiMax is formulated as water-soluble powder for easy dissolution and uniform spraying, providing reliable results when applied under right conditions.



TropiMax : Function

Stimulate

Vegetative Growth

- Can boost new shoot and leaf growth in young trees aor after fruit harvest
- Increase leaf size. stem elongation and root development

Stimulate Flowering

- Promote flower bud formation
- Support uniform flowering

Overcome

Environmental Stress

- Helps plant continue normal growth under drought, heat, or nutrient stress
- Maintains hormonal balnce inside the plant



Enhance Fruit Set

- Strengthens fruit enlargement after flowering, reducing early fruit drop
- Helps more flowers successfully develop into fruits

Promote Fruit Growth

- Encourages cell elongation and division,
- Makes fruits grow bigger and develop faster





TropiMax : Benefit



Plant Stage	Function	Effect
Nursery / Post-harvest	Enhance vegetative growth	More shoots and leaves
Pre-flowering	Stimulate flowering	More flowers, prevent flower drops
Early fruiting	Improve fruit growth	Less fruit drop
Mid-fruiting	Promote fruit growth	Bigger and faster-growing fruits
Any stage	Help stress recovery	Maintain growth under drought/stress





Direction of Use:

Durian Tree:

Usage	Frequency	Function
Add 1 kg of TropiMax to 1 Mt of water	First Application : - Apply once during the early fruit set (2 - 3 weeks after flower bloom) Second Application: - Can be made 2 -3 weeks after the first application, to enhance the fruit growth	- Prevents flowers drops - Improve fruit set - Enlarge fruit size - Improve fruit uniformity

- * Suitable for foliar spray.
- * Spray early morning or late afternoon.
- * Don't overdose - it might cause unwanted vegetative growth.



**THANKS FOR
LISTENING**

